

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	Yokota.in. and Yamamoto.in. and Williams.in. and Hashimoto.in. and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:46
L2	419	(709/228.ccls. or 709/230.ccls. or 709/238.ccls. or 709/245.ccls. or 709/227.ccls.) and (@ad< "20030529" or @rlad< "20030529") and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:46
L3	223	KDDI.as. and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:46
L4	13	IPv6 and (list near5 ((tunnel or connection or connect) adj (server or broker or agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 10:47
L7	34	IPv6 and (((tunnel or connection or connect) adj (server or broker or agent)) with (DNS or domain adj name adj (system or server)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 11:56
L8	14	IPv6 and (((tunnel or connection or connect) adj (server or broker or agent)) with (DNS or domain adj name adj (system or server))) and (list\$4 near4 (agent or broker or server or (end adj point)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/18 12:05
S1	3318	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 11:48
S2	2131	KDDI.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 11:48

S3	12	Yokota.in. and Yamamoto.in. and Williams.in. and Hashimoto.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 11:49
S14	31	@ad<"20030623" and (query \$5 or ask\$5 or request\$5 or locat\$5 or find\$5 or discover \$5) near5 ((tunnel adj broker) or (connect adj agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 12:46
S21	47	IPv6 near5 (locat\$5 or find \$5 or discover\$5 or query \$5) near8 (DNS or "domain name system" or "domain name server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 12:56
S22	14	@ad<"20030623" and IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (DNS or "domain name system" or "domain name server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 12:57
S23	46	@ad<"20030623" and IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5 or request\$5) near8 (DNS or "domain name system" or "domain name server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 12:57
S30	12	@ad<"20030623" and ("tunnel broker" or "tunnel server" or "connect agent") with IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:39
S31	8	@ad<"20030623" and ("tunnel broker" or "tunnel server" or "connect agent") with IPv6 and ("domain name" or DNS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:50
S34	201	@ad<"20030623" and (IP adj address) near6 (physical \$4 adj location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 14:42
S35	17	@ad<"20030623" and (IP adj address) near3 determin \$5 near3 (physical\$4 adj location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 14:42

S37	6	@ad< "20030623" and ("domain name" or DNS) near5 (query\$5 or (look adj up) or lookup or "look-up") same (multiple or many or several) near4 result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 15:30
S38	91	@ad< "20030623" and ("domain name" or DNS) near5 (query\$5 or (look adj up) or lookup or "look-up") same (multiple or many or several) near4 (result or address or ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 15:33
S39	14	@ad< "20030623" and ("domain name" or DNS) near5 (query\$5 or (look adj up) or lookup or "look-up") same (multiple or many or several) near4 (result or address or ip) and (pick\$5 or choos\$5 or select\$5) near5 (first or close\$5 or fast \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 15:33
S47	79	@ad< "20030623" and entire near2 (search or query) near5 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:42
S53	1	@ad< "20020623" and lookup adj table near5 key near5 query\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 17:07
S54	6	@ad< "20020623" and ARP with cache with lookup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 17:16
S60	18	@ad< "20020623" and (NAPTR or "naming authority pointer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 18:40
S61	389	709/226.ccls. and @pd> "20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:35

S62	5	(@ad<"20030623" or @rld<"20030623") and (query\$5 or ask\$5 or request\$5) near5 (address or IP or location) near5 ((tunnel adj broker) or (connect adj agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:39
S64	54	IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (DNS or "domain name system" or "domain name server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:49
S66	0	Yokota.in. and Yamamoto.in. and Williams.in. and Hashimoto.in. and @pd>"20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:07
S67	141	KDDI.as. and @pd>"20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 15:08
S68	89	KDDI.as. and @pd>"20090201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:32
S69	0	Yokota.in. and Yamamoto.in. and Williams.in. and Hashimoto.in. and @pd>"20090201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:32
S71	60	IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (DNS or "domain name system" or "domain name server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:33
S72	7	IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:33
S73	137	(@ad<"20030623" or @rld<"20030623") and 709/227.ccls. and @pd>"20090201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:34
S75	584	(locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:35

S76	163	(@ad<"20030623" or @rlad<"20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) with ((tunnel\$4 or connect\$4) near2 (broker or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:37
S79	8	(@ad<"20030623" or @rlad<"20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) with ((tunnel\$4 or connect\$4) near2 (broker or agent)) same IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 13:59
S80	16	(@ad<"20030623" or @rlad<"20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent)) and IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:00
S81	1	(@ad<"20030623" or @rlad<"20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (close\$4) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:03
S83	2	(@ad<"20030623" or @rlad<"20030623") and (locat\$5 or find\$5 or discover\$5 or search\$4) near8 (close\$4) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:08
S88	3	(@ad<"20030623" or @rlad<"20030623") and (locat\$5 or find\$5 or discover\$5 or search\$4) near8 (close\$4) near8 ((tunnel\$4 or connect\$4 or home or mobile) near2 (broker or agent)) and IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:51
S90	11	(@ad<"20030623" or @rlad<"20030623") and ((locat\$4 or discover\$4 or search\$4 or find\$4) with ((tunnel or connect\$4) adj (broker or agent))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:20

S97	27	(709/228.ccls. or 709/230.ccls. or 709/238.ccls. or 709/245.ccls. or 709/227.ccls.) and (@ad<"20030529" or @rlad<"20030529") and (locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:30
S102	7	(@ad<"20030623" or @rlad<"20030623") and "709"/\$3.ccls. and (DNS with (close\$4 or fast\$4) near5 (mirror or host))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 16:18
S105	658	(@ad<"20030529" or @rlad<"20030529") and "709"/\$3.ccls. and (query\$4 or request\$4 or ask\$4) near4 (DNS or "domain name system") near4 (name or identity or "best" or "closest" or "fastest" or information) near2 (server or site or host or name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 13:26
S106	140	(@ad<"20030529" or @rlad<"20030529") and "709"/\$3.ccls. and ((query\$4 or request\$4 or ask\$4) near4 (DNS or "domain name system") near4 (name or identity or "best" or "closest" or "fastest" or information) near2 (server or site or host or name)) and ((extend\$4 or enhanc\$4 or adding or additional) near5 (DNS or "domain name system"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 13:54
S108	3	(@ad<"20030529" or @rlad<"20030529") and "709"/\$3.ccls. and (DNS or "domain name system") with (whitelist or blacklist or (white adj list\$4) or (black adj list\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 14:16
S109	5	(@ad<"20030529" or @rlad<"20030529") and (DNS or "domain name system") with (whitelist\$4 or blacklist\$4 or (white adj list\$4) or (black adj list\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 14:47

S113	26	(@ad<"20030529" or @rlad<"20030529") and (DNS or "domain name system") same (keyword or UPC or barcode) with (URL or URI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:28
S114	94	(@ad<"20030529" or @rlad<"20030529") and (DNS or "domain name system") with (keyword or UPC or barcode or RealName)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:40

2/ 18/ 2010 3:02:05 PM**C:\ Documents and Settings\ jmacilwinen\ My Documents\ EAST\ Workspaces\ 729257.wsp**